





Finest Quality... Perfect Registration



ANOTHER

PRODUCT

Standard Edge Punched Cards

and Paper Tapes by

**VISI**record,

**Inc.** Catalog No. EPC1065  
Copyright 1965 — VISIrecord, Inc.



## Both Rolls and Folded Tapes

VISirecord paper tapes are available both as folded tapes and as rolls of tape in two roll diameters of 8" and 14". The 14" rolls are used primarily as High Speed or Long Transmission Tapes for 'round-the-clock' operation. The 8" rolls are used principally in office Data Processing installations.

## Wide Variety of Standard Colors


Rolled tapes are available in a variety of colors: White, Buff, Red, Blue, Green, Canary and Gray. Black Opaque tape (with

high infra-red capacity) for photo electric readers is also available. Buff, 8" rolls, 11/16" wide, used for identification of communication circuits are stocked with 3/16" wide stripes in a variety of colors. Mylar tapes for programming applications are a standard item also.

## VISirecord Oiled Perforator Tapes

VISirecord oiled perforator tapes are made from the very finest quality paper. They are slit and wound on automatic machinery under a strict quality control program. They perforate cleanly and distinctly and will not deteriorate under prolonged storage. Their high tensile strength minimizes breakage and tearing.

### Folded Tapes




Folded tapes are available in three widths for 5, 7 and 8 channels. The tapes are folded on 8½" lengths and are packed in individual boxes, approximately 1000 feet to the box. Folded tapes are stocked in Buff only; minimum ordering quantity, one box.

| Cat. No. | Width  | Channels | Boxes Per Carton |
|----------|--------|----------|------------------|
| 600100   | 11/16" | 5        | 24               |
| 600110   | 7/8"   | 7        | 20               |
| 600120   | 1"     | 8        | 18               |

### Oiled Perforator Tapes

Eight inches in diameter, approximately 1000 feet per roll. Stocked in White, Buff, Red, Blue, Green, Canary, Gray and Black. Minimum ordering quantity, one carton.



| Cat. No. | Width  | Channels | Rolls Per Carton |
|----------|--------|----------|------------------|
| 600130   | 11/16" | 5        | 10               |
| 600140   | 7/8"   | 7        | 8                |
| 600150   | 1"     | 8        | 7                |


### Long Transmission, Oiled Perforator Tape

Fourteen inches in diameter, approximately 3000 feet per roll. Stocked in White, Buff, Red, Blue, Green, Canary, Gray and Black. Minimum ordering quantity, one carton.



| Cat. No. | Width  | Channels | Rolls Per Carton |
|----------|--------|----------|------------------|
| 600160   | 11/16" | 5        | 14               |
| 600170   | 7/8"   | 7        | 10               |
| 600180   | 1"     | 8        | 10               |

### Top Arrow Paper Tapes



Where printed instruction of the direction of the flow of the code is required, VISirecord Top Arrow tapes are available. Top Arrow tapes are stocked in Buff, Pink and Green. Eight inches in diameter; approximately 1000 feet per roll. Minimum ordering quantity, one carton.

| Cat. No. | Width | Channels | Rolls Per Carton |
|----------|-------|----------|------------------|
| 600220   | 7/8"  | 7        | 8                |
| 600230   | 1"    | 8        | 7                |

Fourteen inch diameter; approximately 3000 feet per roll. Stocked in Buff, Pink and Green. Minimum ordering quantity, one carton.

| Cat. No. | Width | Channels | Rolls Per Carton |
|----------|-------|----------|------------------|
| 600240   | 7/8"  | 7        | 10               |
| 600250   | 1"    | 8        | 10               |



### Mylar Laminated Tape


VISirecord Mylar tape is a paper/Mylar/paper lamination. The Mylar itself is .0015" thick. Mylar rolls are stocked in 8" diameters only. Mylar tapes are available only in blue. Rolls are approximately 835 feet per roll. Minimum ordering quantity, one roll.

| Cat. No. | Width  | Channels | Rolls Per Carton |
|----------|--------|----------|------------------|
| 600190   | 11/16" | 5        | 10               |
| 600200   | 7/8"   | 7        | 8                |
| 600210   | 1"     | 8        | 7                |

"MYLAR" — REGISTERED TRADEMARK OF DUPONT



### Striped Tapes



Where tapes are required for positive identification of communication circuits, VISirecord striped tapes are the answer. Eight inches in diameter, approximately 1000 feet per roll. Buff, with 3/16" wide center stripes in Green, Blue, Red, Lavender, Orange and Gray.

| Cat. No. | Width  | Channels | Rolls Per Carton |
|----------|--------|----------|------------------|
| 600260   | 11/16" | 5        | 10               |

NOTE: All VISirecord paper tapes are available both oiled and unoled.



# AND EDGE PUNCHED CARDS




## Standard VISIrecord Edge Punched Cards

VISIrecord edge punched cards are available both in the highest quality 50% rag ledger stock and the more economical tabulating stock. They have been thoroughly tested and approved by users of all types of Data Processing equipment. VISIrecord pioneering in the development of edge punched cards is well known. The wide variety of standard cards now available as stock items is further evidence of VISIrecord leadership in this field.

Most of the cards illustrated in this catalog were designed to be housed in VISIrecord Visible Control Equipment. The ability to find and file edge punched cards with great speed and accuracy make VISIrecord Visible Control Equipment the ideal housing. The cards can also be filed in ordinary vertical card trays or in VISIrecord Automatic Vee files. VISIrecord Vee files and Visible Control Equipment are illustrated on the back cover.

## VISIrecord '73 Tapes'

VISIrecord '73 Tapes' are made of the highest quality white card stock. '73 Tapes' are three inches wide; continuous; with a pressure perforation at the fold. They are available both in plain white, or with a green or red stripe printed on the edge opposite the feed holes. Cards are consecutively numbered. There are 250 cards to each continuous pack; eight packs; or 2000 cards to a carton. The minimum ordering quantity is one carton.




**Cat. No. 57310**

5 to 8 Channels

### Card Specifications:

.007"  
3"w x 7"h

White with black identification  
(Specify color stripe, red or green,  
if desired)  
Single edge punching



## Continuous Edge Punched Cards

VISIrecord continuous edge punched cards are available for immediate delivery in both 50% rag ledger and tabulating card stock. These cards are pre-trimmed. They burst to single cards suitable for filing in VISIrecord equipment. Card fold is 11" — when burst, card height is 10.1". There are 500 cards to each continuous pack. The minimum order quantity on continuous forms is 500.

**Cat. No. 5755AC**

5 to 8 Channels

### Card Specifications:

50% rag ledger  
.0065" thick  
4 7/8"w x 10.1"h  
White with black ink  
Single row edge punching  
Lead edge: Upper left  
Visibility: 1.2"

### Maximum Codes:

99


**Also available:**

**Cat. No. 5755ACTS**

Same specifications as above, except .007"  
tabulating stock

VISIrecord Mylar Edge Punched Cards (.001" Mylar laminated between 2 layers of 50% rag stock) are available on a special-to-order basis.





**Cat. No. 5745A**  
5 to 8 Channels  
**Maximum Codes:**  
139

**Card Specifications:**  
50% rag ledger  
.0065" thick  
4 5/8" w x 14.04" h  
White with black ink  
Lead edge: Upper left  
Visibility: 1.2"

### Pressure Sensitive Addressing Labels


Two sizes of white permanent adhesive Pressure Sensitive Labels are available as index tabs. These can be machine prepared and then applied to individual edge punched cards. The minimum order quantity is 1000.

**Cat. No. 9-516**

**Label Specifications:**  
5/16" w x 9/16" h  
Double Pin Feed

**Cat. No. 15-275**


**Label Specifications:**  
2-3/4" w x 15/16" h  
Single Pin Feed



**Cat. No. 5755**  
5 to 8 Channels

**Maximum Codes:**  
99 codes, 5 channels  
97 codes, 6-8 Channels

**Card Specifications:**  
50% rag ledger  
.0065" thick  
4 5/8" w x 10.04" h  
White with black ink  
Lead edge: Upper left  
Visibility: 1"



**Cat. No. 5755A**  
5 to 8 Channels

**Maximum Codes:**  
99 with 5 Channels  
97 with 6-8 Channels

**Card Specifications:**  
50% rag ledger  
.0065" thick  
4 5/8" w x 10.04" h  
White with black ink  
Single row edge punching  
Lead edge: Upper left  
Visibility: 1.2"

Also available:

**Cat. No. 5755ATS**

Same specifications as 5755A, except .007" tabulating stock

**Cat. No. 5755AX**


Same specifications as 5755A, except no control or feed holes

**Cat. No. 5755AXTS**

Same specifications as 5755A, except .007" tabulating stock and no control or feed holes

## SINGLE ROW EDGE

All standard edge-punched cards illustrated here are available for immediate delivery from stock. The two styles, 5755A and 5775, are available in both 50% rag ledger and tabulating stock.




**Cat. No. 5765**  
5 to 8 Channels

**Maximum Codes:**  
79 codes, 5 channels  
77 codes, 6-8 channels

**Card Specifications:**  
50% rag ledger  
.0065" thick  
4 5/8" w x 8.04" h  
White with black ink  
Lead edge: Upper left  
Visibility: 1"







**Cat. No. 5775**  
5 to 8 channels

**Maximum Codes:**  
198


**Card Specifications:**  
50% rag ledger  
.0065" thick  
4 5/8" w x 19.94" h  
White with black ink  
Lead edge: Upper left  
Visibility: 1.2"

Also available:

**Cat. No. 5775TS**  
Same specifications as 5775,  
except .007" tabulating stock

**Cat. No. 5775X**  
Same specifications as 5775,  
except no control or feed holes

**Cat. No. 5775XTS**  
Same specifications as 5775,  
except .007" tabulating stock  
and no control or feed holes



**Cat. No. 5995**  
5 to 8 Channels

**Maximum Codes:**  
191

**Card Specifications:**  
50% rag ledger  
.0065" thick  
5.25" w x 19.64" h  
White with brown ink  
Lead edge: Upper  
left rear  
Visibility: .75"

### Visibility

When they are housed in VISIrecord Visible Control Equipment, edge punched cards are offset making their right margins visible. Cards can be filed and located in VISIrecord VCE with far greater speed and efficiency than with any other filing system. The amount of visibility is included in the specifications of all cards illustrated in this catalog.



## -PUNCHED CARDS

These two styles are also available without control or feed holes for use with data processing equipment not requiring them. The minimum order quantity on these forms is 500.

**Cat. No. 5765A**  
5 to 8 Channels  
**Maximum Codes:**  
79 codes, 5 channels  
77 codes, 6-8  
channels

**Card Specifications:**  
50% rag ledger  
.0065" thick  
4 5/8" w x 8.04" h  
White with black ink  
Lead edge: Upper left  
Visibility: 1.2"



**Cat. No. 5990**  
5 to 8 Channels

**Maximum Codes:**  
96

**Card Specifications:**  
50% rag ledger  
.0065" thick  
5.25" w x 10.00" h  
White with brown ink  
Lead edge: Upper left  
Visibility: .75"




**Cat. No. 5985**  
5 to 8 Channels

**Maximum Codes:**  
238

**Card Specifications:**  
50% rag ledger  
.0065" thick  
4 5/8" w x 23.94" h  
White with brown ink  
Lead edge: Upper left  
Visibility: 1.2"

# STANDARD DOUBLE EDGE PUNCHED CARDS



## Cat. No. 5780

5 to 8 Channels

### Maximum Codes:

338 178 left  
160 right


### Card Specifications:

50% rag ledger  
.0065" thick  
4 7/8" w x 18.08" h  
White with black ink  
Lead edge: Upper left, lower right  
Visibility: 1.2"

### Also available:

## Cat. No. 5780TS

Same specifications as 5780, except .007" tabulating stock



## Cat. No. 5760A

5 to 8 Channels

### Maximum Codes:

178 99 left  
79 right


### Card Specifications:

50% rag ledger  
.0065" thick  
4 7/8" w x 10.04" h  
White with black ink  
Lead edge: Upper left, lower right  
Visibility: 1.2"

### Also available:

## Cat. No. 5760ATS

Same specifications as 5760A, except .007" tabulating stock



## Cat. No. 5750A


5 to 8 Channels

### Maximum Codes:

258 139 left  
119 right

### Card Specifications:

50% rag ledger  
.0065" thick  
4 7/8" w x 14.04" h  
White with black ink  
Lead edge: Upper left, lower right  
Visibility: 1.2"



## Cat. No. 5980

5 to 8 Channels

### Maximum Codes:

218 119 left  
99 right

### Card Specifications:

50% rag ledger  
.0065" thick  
4 7/8" w x 12.04" h  
White with brown ink  
Lead edge: Upper left, lower right  
Visibility: 1.2"



# SPECIAL EDGE-PUNCHED CARDS

Our printing plant is fully equipped to produce special edge-punched cards. Such cards can be special in size, color and configuration — and can be produced with or without the VISIrecord corner-cut or notching on the bottom edge. Below are two illustrations of special edge-punched cards with custom printing.

**DESCRIPTION**  
End Panel #31634

**VENUE**  
Peter Smith Co.

**UNIT PRICE**  
\$13.20 ea.

**WEIGHT**  
11 lbs.

**STD. Pkg**  
Carton

**CATEGORY**  
6

**DATE**  
3/12, 3/15, 3/18, 4/14, 4/16, 4/23

**QUANTITY**  
4, 1, 3, 2, 1, 1

**PRICE**  
52, 3, 2, 2, 1, 1

**INDUSTRIAL ELECTRIC SERVICE CO. INC.**  
BIRMINGHAM, WASHINGTON

This 6" x 10.04" card was specially printed to serve as a manual Inventory Control Record. The 6-inch width, the color of ink, and the type of stock used, were all special.

**CONTROL CARD**  
B1605A

**DESCRIPTION**  
Sideplate

**DATE**  
1/20, 3/12, 3/15

**QUANTITY**  
50, 10, 10

**PRICE**  
52, 3, 2

**PLANNING**  
DATE, QTY, TOTAL

**SPECIAL ISSUES**  
DATE, QTY, TOTAL

**ROUGH MATERIAL FOR ONE FINISHED UNIT**  
See drawing #B1605-44

This 6" x 10" card is designed for use in VISIrecord "Automatic Vee" equipment, rather than VISIrecord Visible Control Equipment (see back cover). It contains no corner cut or VISInotching.

## CUSTOM PRINTING OF EDGE-PUNCHED CARDS


All standard and special edge-punched cards can be custom printed at our plant. Printing charges are nominal. Printing quality is excellent. Minimum printing quantity, 1000.



## HOUSING FOR EDGE-PUNCHED CARDS

### **VIS/record Visible Control Equipment**

Many of the standard cards illustrated in this catalog have been designed for housing in VIS/record Visible Control Equipment. The off-setting of cards (see Page 5), with resultant visibility of every card in the unit, provides a speed of finding and filing unequalled by other housing methods. VIS/record offers such a wide range of equipment sizes and capacities that equipment can be tailored to needs.



## AND PAPER TAPES



### **VIS/record "Automatic VEE" Trays**

In those cases where the speed of VIS/record VCE is not paramount, "Automatic Vee" equipment can be employed with great efficiency. The "Vee" opening is an automatic forty degrees. Trays are available in many sizes and capacities. Tables or enclosed housings can also be supplied.



**VISI**record, INC. Copiague, Long Island, New York